

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Landau

Patent No.: RE40,218 E

Issued: April 8, 2008

Serial No.: 10/622,001

Filed: July 17, 2003

For: ELECTRO-CHEMICAL
DEPOSITION SYSTEM
AND METHOD OF
ELECTROPLATING ON
SUBSTRATES

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

§ Group Art Unit: 1795

§ Examiner: Bruce F. Bell

CERTIFICATE OF TRANSMISSION

I hereby certify that this correspondence is being transmitted
electronically to the U.S. Patent and Trademark Office via EFS-Web on
September 10/3/2008, addressed to: Certificate of Correction Branch
Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450



10/3/08

Signature
Name: Keith M. Tackett

Date

REQUEST FOR CERTIFICATE OF CORRECTION

Attached is a Certificate of Correction for correcting several errors in the background of the invention, summary of the invention, detailed description of the preferred embodiment, and claims section of the printed patent.

Applicant submits that the errors mentioned above were not by the applicant, but were made during the printing of the patent.

Respectfully submitted,



Keith M. Tackett
Registration No. 32,008
PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd. Suite 1500
Houston, TX 77056
Telephone: (713) 623-4844
Facsimile: (713) 623-4846
Attorney for Applicant(s)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : RE40,218 E

Page 1 of 2

APPLICATION NO. : 10/622,001

DATED : April 8, 2008

INVENTOR(S) : Landau

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In the Background of the Invention:

Column 1, Line 34, please delete "increases" and insert - -increase- -;

Column 2, Line 26, please delete "definition" and insert - -definitions- -;

Column 2, Line 41, please delete "conductive" and insert - -conducting- -;

Column 3, Line 62, please delete "contract" and insert - -contact- -;

In the Summary of the Invention:

Column 5, Line 14, please delete "particular-free" and insert - -particulate-free- -;

In the Detailed Description of the Preferred Embodiment:

Column 6, Line 16, please delete "a" and insert - -as- -;

Column 10, Line 17, please delete "solution" and insert - -solutions- -;

Column 12, Line 43, please delete "member" and insert - -membrane- -;

Column 12, Line 47, please delete "conducive" and insert - -conductive- -;

Column 14, Line 65, please delete "comprises" and insert - -comprise- -;

Column 15, Line 19, please delete "sufficient" and insert - -sufficiently- -;

In the Claims:

Column 21, Claim 12, Line 32, please delete "direction" and insert - -directions- -;
Column 23, Claim 23, Line 65, please delete "cathode" and insert - -cathodic- -;
Column 25, Claim 29, Line 34, please delete "the" before electrolyte and insert - -an- -;
Column 25, Claim 29, Line 46, please delete "in" and insert - -to- -.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

PATTERSON & SHERIDAN LLP
3040 Post Oak Blvd. Suite 1500
Houston, TX 77056-6582

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.